

# WINDTECH® Windscreens Web Site Information Page

Since 1976, **WindTech®** has manufactured the highest quality microphone windscreens on the market. They are available in up to 25 brilliant colors, and a wide variety of sizes and shapes to fit most popular microphones. Using a proprietary non-heat manufacturing process, **WindTech™** windscreens are constructed from a specially developed hypo-allergenic, open-cell, acoustical Polyurethane foam called **SonicFoam™**. The use of **SonicFoam™** permits the free passage of sound energy without affecting the microphone's frequency response. While remaining acoustically transparent, our windscreens are engineered to reduce wind velocity which virtually eliminates wind noise, breath sounds and pop noises. American made SonicFoam™ is not industrial grade or Asian made foam. There will be no chemical odor of Formaldehyde when you open the package. For anyone who wants to keep their investment secure, nothing protects an expensive microphone from dust, dampness and physical damage like an external windscreen. We were the first in the business and we've been perfecting our products for over two decades. Don't be fooled by imports or imitations. Look for the **WindTech™** brand name and get the quality and performance you deserve.

**Still... Made in America.**

## [WindTech® 900 Series Microphone Windscreens](#)

**900 Series Windscreens Fit the Following Microphones:** **AKG** C900, D40, 50, 60, 80, 90, 95, 125, 130, 190, 200, 310, 321, 330, 590, 770, 880, 3700, 3800, 5900, CK4, C535EB, HT450, T28. **Audio Technica** AE3300, AE4100, AE5400, AE6100, ATM23, 25, 29, 31, 41, 61, 91, 410, 710, AT801, 802, 813, 814, ATR2100. MB1K, MB3K, MB1000, MB2000. Pro1a, 2ax, 3, 4, 5, 10. **Audix** OM-1, OM-2, OM-3xb, OM-5, OM-6, OM-7, VX-10. **Beyer** MCE81, Opus 69, M01, 59, 69, 260, 300, 400, 500, BM85, EM85, TGX20, 40, 48, 58, 60, 80, TGV70d. **CAD** D189, 22A. **Electro Voice** Co5, Co7, Co9, Co11, N/D247, 257, 267, 357, 367, 457, 757, 767, DS35, PL50, 60, 70, 77, 80, RE11, 16, 18, 50, 510, MT200, MC100, 150, 300. **Peavey** Celebrity, PAA2500, PVM22, PVM46, PVM835, PVM880, PV, PVi. **Nady** SP1, 3, 4, 5, 9, 10, WHT14, 15, UH10. **Neumann** KK105, KMS 105, 140, 150. **Samson** r11, r21. **Sennheiser** K6-ME65, E815, E825, E835, E840, E845, E855, E865, E935, E945, EW335, MD21, 200, 400, 416, 427, 429, 511, 512, 515, 516, 735, 736, MKE44, SKM100, 300, 500, 535, 565, SKM3072, 5000, 5200, SKP30. **Shure** Beta87, PG48, PG58, KSM-9, SM48, 53, 54, 58, 86, 87, 96, 587, 587SB, PE15, 75, 85, 86, BG3.0, VP88. **Telefunken** M80, M81. **Telex** HT700, SH100, FMR150, 450, EN6100, H12E, VR12E. And most "ball" shaped (i.e. SM-58) microphones up to 2.25" (57mm) in diameter.

### **900 Series Specifications:**

Inside Diameter: 1.625" (41 mm)  
Inside Depth: 2.125" (54 mm)  
Overall Height: 2.750" (70 mm)  
Overall Diameter: 2.375" (60 mm)  
Shape: Spherical  
Colors Available: 1 – 22  
Made in America

## [WindTech® 300 Series Microphone Windscreens](#)

**300 Series Windscreens Fit the Following Microphones:** **AKG** C12VR, C505, 535. CE5, CK5. D70, 120, 124, 125, 130, 170, 190, 202, 230, 320, 327, 541, 1000, 1200, 2000, HT40. **Audio Technica** AT811, 813, 814, 816, 817, 836. ATM810, ATM610, ATM650, 10, 11, 21, 63. AT4054, 4055. MB2K, MB4K, MB2000, MB3000, MB4000. **Audix** i5. **Beyer** M1, 2, 69, 88, 130, 160, 200, 600, 411, 412. MCE80. **CAD** C195, TSM411. **Crown** CM200, CM310. **Electro Voice** 658, 671B, 681, D056/L, DS35, 1776B, 1777A. N/D967, PL11, 76B, 77A, 80, 88, 91A, 95A. RE30, 34, 50. **Peavey** PVM38, PAA350, VTS1000. **Rode** S-1. **Samson** r11, r21. **Sennheiser** MD42, MD408, 430, 431, 908. e835, e845, e855. **Shure** Beta 57, SM58, 48, 78, 85, 87, 96. PE5, 9, 25, 35, 45, 47. 533, 565, 588, 869, L2. PG56, PG57. Prologue 12 & 14. **Telex** H12D, VH12D. And most "ball" shaped (i.e. SM-58) microphones up to 2.0" (51mm) in diameter.

### **300 Series Specifications:**

Inside Diameter: 1.375" (35 mm)  
Inside Depth: 1.875" (48 mm)  
Overall Height: 2.625" (67 mm)  
Overall Diameter: 2.125" (54 mm)  
Shape: Spherical  
Colors Available: 1 – 25

Made in America

### [WindTech® 600 & 5700 Series Microphone Windscreens](#)

**600 & 5700 Series Windscreens Fit the Following Microphones:** **AKG** C1000S. **Audio Technica** AE5100, PR06, ATM10a, ATM33a. **Beyer** M58, 64, 111, 201, 640. CK703, MC722, 724. MCE81, 91, Opus 83. M420, 422, 640. CAD ICM 417. **Earthworks** SR20, SR30, SR30/HC. **Electro Voice** D054, 635A, 636, PL37, RE10, RE15, RE55, RE200, CO15P, CS15P. **Rode** M3, NT3. **Royer** R-121, SF-1. **Sennheiser** e604, MD22, MD214, MKH40, MKH80, MKH800. **Shure** SM57, SM63, PE65, PE66, SM94, 849, AMS24, 545, 515, 562, 503, BG4.0, 4.1, 5.1, Prologue 10, 2L, 8L. **Sony** MS-907. And most "straight" type (i.e. SM-57) and smaller ball type microphones up to 1.25" (32mm) in diameter.

#### **600 Series Specifications:**

Inside Diameter: 1.000" (25 mm)  
Inside Depth: 1.750" (44 mm)  
Overall Height: 2.625" (70 mm)  
Overall Diameter: 2.000" (51 mm)  
Shape: Spherical  
Colors Available: 1 – 22  
Made in America

#### **5700 Series Specifications:**

Inside Diameter: 1.000" (25 mm)  
Inside Depth: 1.750" (44 mm)  
Overall Height: 2.5" (64 mm)  
Overall Diameter: 1.75" (44 mm)  
Shape: Cylindrical  
Colors Available: 1 – 22  
Made in America

### [WindTech® 1200 Series Microphone Windscreens](#)

**1200 Series Windscreens Fit the Following Microphones:** **ADK** SC-1. **AKG** CK5, CK91, CK92, CK93, CK94, C224, D58, D109, D224, D510, D558. **Audio Technica** AT3031, 3032, AT4021, AT4031, 4041, 4049, 4051, 4053, 8086, ATM450. **Audix** ADX-50, ADX-51, F9, SCX-One. **Beyer** MCE83, 84, 93, 94, 801, 803, 805, M101, 424, MC711, 712, 714. **Crown** CM-700. E.V. C04, RE85. **Josephson** C-42. **Neumann** KM83, 84, 86, KM100, KM120, KM130, 131, 140, 143, 145, 150, 183, 184, 185. **Oktava** MCO12. **Peavey** PVM480. **Rode** NT5, NT6, NT55. **Sanken** CU31, 32. **Sennheiser** e614, e914, K6-ME62, 63, 64, MD106, 110, 202, 211, 402, 406, 430. MKH20, 30, 40, 50, ME20, 40. **Shure** 16A, 16AM, KSM109, KSM137, KSM141, PG81. Prologue 16L, AMS28, SM80, SM81. **Telex** PH-1, PH-2. And most "straight" type (Condenser) microphones up to 0.90" (23mm) in diameter.

#### **1200 Series Specifications:**

Inside Diameter: 0.750" (19 mm)  
Inside Depth: 1.625" (41 mm)  
Overall Height: 2.250" (64 mm)  
Overall Diameter: 1.500" (38 mm)  
Shape: Spherical  
Colors Available: 1 – 22  
Made in America

### [WindTech® 1300 Series Microphone Windscreens](#)

**1300 Series Windscreens Fit the Following Microphones:** **AKG** C430, 451, 452, 460, 480, CK1, CK2, D109, D110. **Audio Technica** ATM75, Pro37R. **Audix** ADX90. **Beyer** MC721, 723. MCD801, 803, 805. **Electro Voice** 649B, PC12, PC187. **Schoeps** CCM•U, CMC/MK Series. **Sennheiser** MKH8020, MKH8040, MKH8050. **Shure** Beta98D/S, 570S, 572. **Sanken** CO-100K. **Special Projects** SP5700. And most "straight" type (Condenser) microphones up to 0.8125" (21mm) in diameter.

#### **1300 Series Specifications:**

Inside Diameter: 0.625" (16 mm)  
Inside Depth: 1.250" (32 mm)  
Overall Height: 2.125" (54 mm)  
Overall Diameter: 1.375" (35 mm)  
Shape: Spherical  
Colors Available: 1 – 22  
Made in America

## [WindTech® 500 Series Microphone Windscreens](#)

**500 Series Windscreens Fit the Following Microphones:** **AKG** C410, C420, C621, C921. **Audio Technica** ATM35, ATM71, ATM75, Pro8H, Pro49Q, MT853, MT858, 857. **Audix** ADX-40/41, F90, M1280. **Beyer** SHM415, SHM20/21. **Clear-Com** CC26. **Crown** CM30, CM31, CM150, LM300. **Earthworks** SR25, Flexwands. **Electro Voice** CP-212, (University 1700), HM-2. **DPA** 4004, 4007, 4021, 4022, 4023, 4033, 4035, 4036, 4037, 4051, 4052, 4053. **Peavey** PM16S, VCM2. **Sennheiser** e608, HMD 25-1, HMD 224. **Shure** Beta 98H/C, 512, SM2, SM10A, SM11, SM12.A, SM102, WH-10, WH-20. **Telex** MCP- 90, PH10, PH16. And most slim-line podium or lavalier type microphones with up to .5625" (14mm) in diameter.

### **500 Series Specifications:**

Inside Diameter: 0.437" (11 mm)  
Inside Depth: 1.250" (32 mm)  
Overall Height: 1.500" (38 mm)  
Overall Diameter: 1.125" (29 mm)  
Shape: Cylindrical  
Colors Available: 1 – 22  
Made in America

## [WindTech® 8801 / 8802 Series Microphone Windscreens](#)

**8801 / 8802 Series Windscreens Fit the Following Microphones:** **AKG** CK31, CK33. **Audio Technica** AT857, U857, U859. **Countryman** IsoMax 4. **Electro Voice** HM-2. **Shure** MX412, MX418. And most slim-line podium or lavalier type microphones with up to .5625" (14mm) in diameter.

### **8801 / 8802 Series Specifications:**

Inside Diameter: 0.437" (11 mm)  
Inside Depth: 0.750" (19 mm)  
Overall Height: 1.125" (29 mm)  
Overall Diameter: 0.900" (23 mm)  
Shape: Large Tear Drop  
Colors Available: 8801=Black, 8802=White  
Made in America

## [WindTech® 1400 & 1500 Series Microphone Windscreens](#)

**1400 & 1500 Series Windscreens Fit the Following Microphones:** **AKG** CK97C, C567. **Audio Technica** AT853, 803B, 855, 857, 859, ATM35, ATM350, Pro35, U853, U857. **Audix** M1245, M1290, ADX-20, ADX112, ADX118. **Beyer** MC5, MC6, MCE10, 52. SHM22, SHM88. **Electro Voice** RE98, CO90, CO90P, CO94, CO100, CP212, 218, CS200, CH230. RE90H, RE92. **Samson** VLP-1, QE. **Sennheiser** ME34, ME35, MKE40-60. **Shure** EZG, EZO, MX183, MX184, MX185, MX412. SM83a, SM84a, 839w, SM98, SM99. **Sony** AH-1, ECM-X7, ECM-44, 55, 66, 166. **Special Projects** SP4700, SP746, SP756, SPH20. And most slim-line podium or lavalier style microphones with up to .50" (13mm) in diameter.

### **1400 Series Specifications:**

Inside Diameter: 0.375" (10 mm)  
Inside Depth: 1.250" (32 mm)  
Overall Height: 1.500" (38 mm)  
Overall Diameter: 0.875" (22 mm)  
Shape: Cylindrical  
Colors Available: 1 – 22  
Made in America

### **1500 Series Specifications:**

Inside Diameter: 0.375" (10 mm)  
Inside Depth: 0.750" (19 mm)  
Overall Diameter: 1.125" (29 mm)  
Shape: Round  
Colors Available: 1 - 22  
Made in America

## [WindTech® 1100, 2100, 2200 Series Microphone Windscreens](#)

**1100, 2100, 2200 Series Windscreens Fit the Following Microphones:** **AKG** C407, C417, CK970. **Audio Technica** AT803B, 830R, 831, 837, 855, 859. **ATM15**, 73A. **ES915**, **ES933**, **ES943**. **PRO7a**. **Audix** ADX10, ADX40. **TR-40**. **Beyer** MC5, MC6, MCE10. **Countryman** EMW. **Crown** GLM100, GLM200. **Earthworks** QTC, TC, M. **Electro Voice** HM-1. **Gentex** 5070. **Lectrosonics** HM142, HM152, HM162, M119, M140. **Lightspeed** TX-170. **Samson** QV. **Sennheiser** HSP4. **Shure** SM93, 99, WCM-16. **Sony** ECM-30. **Special Projects** SP2000, SP5200, SP5251, SP5252, SP5255, WPHS-746, WPHS-756. **Telex** PH21, 22, 23. **Tram** TR-50. And most lapel or lavalier type microphones with up to .375" (9.5mm) in diameter.

### **1100 Series Specifications:**

Inside Diameter: 0.250" (6 mm)  
Inside Depth: 0.750" (19 mm)  
Overall Height: 1.100" (28 mm)  
Overall Diameter: 0.750" (19 mm)  
Colors Available: 1 – 22  
Shape: Cylindrical  
Made in America

### **2100 Series Specifications:**

Inside Diameter: 0.250" (6 mm)  
Inside Depth: 0.750" (19 mm)  
Overall Height: 1.187" (30 mm)  
Overall Diameter: 0.875" (22 mm)  
Colors Available: 1 – 22  
Shape: Tear Drop  
Made in America

### **2200 Series Specifications:**

Inside Diameter: 0.220" (5.5 mm)  
Inside Depth: 0.500" (13 mm)  
Overall Diameter: 0.750" (19 mm)  
Colors Available: 1 - 22  
Shape: Round  
Made in America

## [WindTech® 2300 Series Microphone Windscreens](#)

**2300 Series Windscreens Fit the Following Microphones:** **AKG** C417, C577, CK55, CK77-3. **Audio Technica** AT898, AT899, MT350. **Audix** ADX-5. **DPA** 4060, 4061, 4062, 4065, 4066, 4088. **Electro Voice** OLM-10, RE90L. **Ramsa** WX-RP410. **Sennheiser** ECM770, ME2, MKE-2, MKE102-60, ME102, ME104, ME105. **Shure** Beta 53 headset, MC51B, MC50B, WL20, WL50, WL51, WLM10. **Sony** ECM-77, ECM-322. **Special Projects** SP5254. **Telex** EMM-22/33, WLM30. And most miniature lapel or lavalier type microphones with up to .281" (7mm) in diameter.

### **2300 Series Specifications:**

Inside Diameter: 0.187" (5 mm)  
Inside Depth: 0.350" (9 mm)  
Overall Diameter: 0.625" (16 mm)  
Shape: Round  
Colors Available: 1 – 22  
Made in America

## [WindTech® 2400 & 2500 Series Microphone Windscreens](#)

**2400 & 2500 Series Windscreens Fit the Following Microphones:** **Audio Technica** AT898, AT899, MT350. **Audix** L5. **Beyer** MCE55. **Countryman** B3, E6i. **DPA** 4060, 4061, 4062, 4063, 4066, 4067, 4071, 4088. **Electro Voice** RE97TX. **Sennheiser** MKE1, MKE2, HS2, HSP2. **Shure** WL50. **Sony** ECM77, ECM88, ECM-V1. **Special Projects** SP5254, SP5255. And most miniature lapel or lavalier type microphones with up to .25" (6mm) in diameter.

### **2400 Series Specifications:**

Inside Diameter: 0.125" (3 mm)  
Inside Depth: 0.350" (9 mm)  
Overall Diameter: 0.625" (16 mm)  
Colors Available: Black, White, Tan  
Shape: Round

### **2500 Series Specifications:**

Inside Diameter: 0.125" (3 mm)  
Inside Depth: 0.312" (8 mm)  
Overall Height: 0.515" (13 mm)  
Overall Diameter: 0.359" (9 mm)  
Colors Available: Black, White, Tan  
Shape: Cylindrical

## [WindTech® 2600 Series Microphone Windscreen](#)

**2600 Series Windscreens Fit the Following Microphones:** Audio Technica BP896. Countryman E6, B6, H6, B2, H2. Electro Voice ELM-22, ELM-33. Point Source Audio CO-8. Sanken COS-11. Sennheiser MKE1, MKE2 Gold. Sony ECM88. Telex ELM-22, ELM-33. And most lapel, lavalier and headset microphones from 2.2mm to 4.9mm in diameter.

### **2600 Series Specifications:**

Inside Diameter: 0.0787" (2 mm)  
Inside Depth: 0.393" (10 mm)  
Overall Height: 0.630" (16 mm)  
Overall Diameter: 0.354" (9 mm)  
Colors Available: Black, White, Tan  
Shape: Tear Drop

## [WindTech® 20/421 Series Microphone Windscreens](#)

**20/421 Series Windscreens Fit the Following Microphones:** ADK 51S, Area 51TT, TC. AKG 120, 220, 420, C2000, C3000, C4000, C4500, C5600, D3400, D3500, D3600, "The Tube", Perception 100, 820. Audio Technica AE2500, AE3000, AT2020, ATR2500, AT4033, AT3035, AT4040, AT4047, AT4050, AT4060, AT4080, ATM250. Audix CX101, CX111, CX211. Beyers M99, MC834, MCE82, MCE90. CAD M177, M170. Cascade M20u. Electro Voice RE20, PL20, RE27 N/D, RE320, RE1000, RE2000. Heil PR30, PR40. Mojave MA200, MA201 MXL V87. Neumann TLM50, TLM102, TLM103, TLM170, TLM193, U87i, U89i, U/SM69. Oktava MC219, MC220, MC312, MC319, VM100. Peavey PVM520i. Rode NT1, NT2, NTV, NT1000, Broadcaster. Samson CO1. Sanken CU-41. Sennheiser e602, MD421U. Shure KSM27, KSM32, KSM44, SM7B. Sony C800. Stedman M90. Sterling ST77, ST79. And most large format studio and broadcast type microphones up to 2.125" (54mm) in diameter.

### **20/421 Series Specifications:**

Inside Diameter: 1.875" (48 mm)  
Inside Depth: 3.250" (83 mm)  
Overall Height: 4.375" (111 mm)  
Overall Diameter: 3.375" (86 mm)  
Shape: Cylindrical  
Colors Available: 1 – 22  
Made in America

## [WindTech® Ultra Series Dual Foam Design, High Wind Microphone Windscreens](#)

### **Ultra Series Windscreens Fit the Following:**

US-1; Fits most straight and small ball type microphones up to 1.375" (35mm) in diameter.  
US-2; Fits most straight and small ball type microphones up to 1.0" (25mm) in diameter.  
US-3; Fits most straight and small ball type microphones up to .875" (22mm) in diameter.

### **Ultra Series Specifications:**

**US-1;** Inside Dia: 1.00" (25 mm)  
**US-2;** Inside Dia: 0.75" (19 mm)  
**US-3;** Inside Dia: 0.625" (16 mm)  
Inside Depth: 1.75" (45 mm)  
Total Length: 4.375" (111 mm)  
Diameter: 3.375" (86 mm)  
Shape: Cylindrical  
Colors Available: Black  
Made in America

## [WindTech® SG-1 & BG-1 Shotgun Microphone Windscreens](#)

**SG-1 & BG-1 Shotgun Windscreens Fit the Following Microphones:** **AKG** CK68 Short, CK69 Short, C568EB. **Audio Technica** AT4073, AT835ST, AT897, ATR55, BP-4029. **Azden** SGM-1X, SGM-2X, SGM-3416. **Beyer** EMX-86, MC836, MCE86, MCE87, MC837, MCD837. **DPA** 4017. **Neumann** KMR81i. **Panasonic** AJ-D210, D215, D400. **PSC** SGM-1. **Que** QUQ210. **Rode** NTG-3. **Sanken** CS-1, CS-2, CS-3E. **Shure** VP89S. **Sennheiser** ME66, ME80, MKE600, MKH416, MKH418. **Sony** C-74, ECM-670, ECM-678, ECM-680 ECM-VG1. **Special Projects** SP-5501. And most Shotgun type microphones with a diameter of .75" (19mm) and a port tube length of 7.25" (184mm).

### **SG-1 Specifications:**

Inside Diameter: .750" (19 mm)  
Inside Depth: 7.250" (184 mm)  
Total Length: 8.375" (212 mm)  
Overall Diameter: 2.125" (54 mm)  
Colors Available: Black  
Made in America

### **BG-1 High Wind Specifications:**

Inside Diameter: .750" (19 mm)  
Inside Depth: 7.250" (184 mm)  
Total Length: 8.750" (222 mm)  
Overall Diameter: 3.00" (76 mm)  
Colors Available: Black  
Made in America

## [WindTech® SG-2 & BG-2 Shotgun Microphone Windscreens](#)

**SG-2 & BG-2 Shotgun Windscreens Fit the Following Microphones:** **AKG** CK568, CK8, CK68, CK69L, CK98. **Audio Technica** AT4071, AT815ST, AT815b, AT835b, AT-8015, AT-8035, BP-4027. **Audix** UEM-81s. **Azden** SGM-1000, SGM2X Long. **Fostex** MC35. **Neumann** KMR82i. **Sennheiser** ME67. **Shure** VP89M. **Special Projects** SP-5500. And most Shotgun type microphones with a diameter of .75" (19mm) and a port tube length of 11.5" (292mm).

### **SG-2 Specifications:**

Inside Diameter: .750" (19 mm)  
Inside Depth: 11.50" (292 mm)  
Total Length: 12.50" (317 mm)  
Overall Diameter: 2.125" (54 mm)  
Colors Available: Black  
Made in America

### **BG-2 High Wind Specifications:**

Inside Diameter: .750" (19 mm)  
Inside Depth: 11.50" (292 mm)  
Total Length: 13.00" (330 mm)  
Overall Diameter: 3.00" (76 mm)  
Colors Available: Black  
Made in America

## [WindTech® SG-3 & BG-3 Shotgun Microphone Windscreens](#)

**SG-3 & BG-3 Shotgun Windscreens Fit the Following Microphones:** **Beyer** MC837, MCD837. **Neumann** KMR816. **Sennheiser** MKH-816, MKH-8070, ME-88. **Shure** VP89L. And most Shotgun type microphones with a diameter of .75" (19mm) and a port tube length of 20" (533mm).

### **SG-3 Specifications:**

Inside Diameter: .750" (19 mm)  
Inside Depth: 20.00" (508 mm)  
Total Length: 21.00" (533 mm)  
Overall Diameter: 2.125" (54 mm)  
Colors Available: Black  
Made in America

### **BG-3 High Wind Specifications:**

Inside Diameter: .750" (19 mm)  
Inside Depth: 20.00" (508 mm)  
Total Length: 21.50" (546 mm)  
Overall Diameter: 3.00" (76 mm)  
Colors Available: Black  
Made in America

## [WindTech® SG-60 & BG-60 Shotgun Microphone Windscreens](#)

**SG-60 & BG-60 Shotgun Windscreens Fit the Following Microphones:** **Rode** NTG-1, NTG-2, VideoMic. **Royer** SF-12, SF-24. **Sennheiser** MKH-60. **Sony** ECM-672. And most Shotgun type microphones with a diameter of .9375" (24mm) and a port tube length of 6" (152mm).

### **SG-60 Specifications:**

Inside Diameter: .9375" (23.8 mm)  
Inside Depth: 6.00" (152 mm)  
Total Length: 7.00" (178 mm)  
Overall Diameter: 2.375" (60 mm)  
Colors Available: Black

### **BG-60 High Wind Specifications:**

Inside Diameter: .9375" (23.8 mm)  
Inside Depth: 6.00" (152 mm)  
Total Length: 7.50" (190 mm)  
Overall Diameter: 3.00" (76 mm)  
Colors Available: Black

Made in America

Made in America

### [WindTech® SG-70 & BG-70 Shotgun Microphone Windscreens](#)

**SG-70 & BG-70 Shotgun Windscreens Fit the Following Microphone:** Sennheiser MKH-70. And most Shotgun type microphones with a diameter of .9375" (24mm) and a port tube length of 11.25" (286mm).

#### **SG-70 Specifications:**

Inside Diameter: .9375" (23.8 mm)  
Inside Depth: 11.250" (286 mm)  
Total Length: 12.250" (311 mm)  
Overall Diameter: 2.375" (60 mm)  
Colors Available: Black  
Made in America

#### **BG-70 High Wind Specifications:**

Inside Diameter: .9375" (23.8 mm)  
Inside Depth: 11.250" (286 mm)  
Total Length: 12.750" (324 mm)  
Overall Diameter: 3.00" (76 mm)  
Colors Available: Black  
Made in America

### [WindTech® SG-150 & BG-150 Shotgun Microphone Windscreens](#)

**SG-150 & BG-150 Shotgun Windscreens Fit the Following Microphones:** Audio Technica AT-875R, AT-4081, ATR-55. Azden ECZ-990, SMX-10, SGM-X, SGM-PDII. DPA 4017. Edirol CS-50. Fostex MC32. JVC GY-HM790. Panasonic AG-MC200, AJ-D700, AG-DVC-200, DVC-Pro400, MC700P, AJ-MC-900G, WM-L30. Rode NTG-1, NTG-2, VideoMic. Schoeps CMIT 5U. Sennheiser MKE400, MKE600. Shure VP82. Sony ECM-673, ECM-674, ECM-680, ECM-6805, ECM-CG-1, ECM-HG21, ECM-NV1, ECM-PS1, ECM-XM1, DSR PD-150, DSR-PD-170, DSR-250, DSR-500, HDV-Z1U, HVR-HD1000E. And most Shotgun type microphones with a diameter of .75" (19mm) and a port tube length of 4.5" (114mm).

#### **SG-150 Specifications:**

Inside Diameter: .750" (19 mm)  
Inside Depth: 4.50" (114 mm)  
Total Length: 5.00" (127 mm)  
Overall Diameter: 1.625" (41 mm)  
Colors Available: Black  
Made in America

#### **BG-150 High Wind Specifications:**

Inside Diameter: .750" (19 mm)  
Inside Depth: 4.50" (114 mm)  
Total Length: 6.00" (152 mm)  
Overall Diameter: 3.00" (76 mm)  
Colors Available: Black  
Made in America

### [WindTech® SG-200 & BG-200 Shotgun Microphone Windscreens](#)

**SG-200 & BG-200 Shotgun Windscreens Fit the Following Microphones:** Neumann RSM-191. Panasonic AG-DVC200. Royer SF-12, SF-24. Sanken WMS-5, CMS-10. Sony BVW-200, BVW-300, BVW-400, BVW-D600. And most Shotgun type microphones with a diameter of .3687" (24.6mm) and a port tube length of 4.75" (121mm).

#### **SG-200 Specifications:**

Inside Diameter: .9687" (24.6 mm)  
Inside Depth: 4.75" (121 mm)  
Total Length: 5.25" (133 mm)  
Overall Diameter: 1.718" (44 mm)  
Colors Available: Black  
Made in America

#### **BG-200 High Wind Specifications:**

Inside Diameter: .9687" (24.6 mm)  
Inside Depth: 4.75" (121 mm)  
Total Length: 6.25" (159 mm)  
Overall Diameter: 3.00" (76 mm)  
Colors Available: Black  
Made in America

### [WindTech® WS-441 Microphone Windscreen](#)

**WS-441 Windscreen Fits the Following Microphone:** Sennheiser MD-441. And many Shotgun type microphones with a diameter of 1.9" (49mm) and a port tube length of 3.5" (89mm).

#### **WS-441 Specifications:**

Inside Diameter: 1.1875" (30 mm)  
Inside Depth: 3.500" (89 mm)  
Overall Height: 4.000" (102 mm)  
Overall Diameter: 2.125" (54 mm)  
Colors Available: Black  
Made in America

### [WindTech® 74169 Military High Density Microphone Windscreen](#)

**74169 Military High Density Windscreen Fit the Following Microphone:** **Telex** Airman 850 Headset. United States Department of Defense and NATO National Part Number, NSN: 5965-01-411-1856, includes proprietary water repellent treatment. And many Military, Aviation and Police type headsets with up to a .375" (9.5mm) diameter.

#### **74169 Military Specifications:**

Inside Diameter: 0.220" (5.6 mm)

Inside Depth: 1.000" (25.4 mm)

Overall Height: 1.430" (36 mm)

Overall Diameter: 0.80" (20 mm)

Shape: Tear Drop

Colors Available: Charcoal Gray

Made in America

\* *Includes Carnauba water wicking treatment*

### [WindTech® 10376 Military High Density Microphone Windscreen](#)

**10376 Military High Density Windscreen Fit the Following Microphones:** Includes proprietary water repellent treatment. Fits many Military, Aviation and Police type headsets with up to a .375" (9.5mm) diameter.

#### **10376 Military Specifications:**

Inside Diameter: 0.187" (5 mm)

Inside Depth: 1.250" (32 mm)

Overall Height: 1.500" (38 mm)

Overall Diameter: 1.125" (29 mm)

Shape: Cylindrical

Colors Available: Black

Made in America

\* *Includes Carnauba water wicking treatment*

### [WindTech® 10377 Military High Density Microphone Windscreen](#)

**10377 Military High Density Windscreen Fit the Following Microphones:** Includes proprietary water repellent treatment. Fits many Military, Aviation and Police type headsets with up to a .50" (13mm) diameter.

#### **10377 Military Specifications:**

Inside Diameter: 0.375" (10 mm)

Inside Depth: 1.250" (32 mm)

Overall Height: 1.500" (38 mm)

Overall Diameter: 1.125" (29 mm)

Shape: Cylindrical

Colors Available: Black

Made in America

\* *Includes Carnauba water wicking treatment*

### [WindTech® 10378 Military High Density Microphone Windscreen](#)

The **WindTech® 10378** windscreen is designed for use in high wind applications for smaller size (5 - 10mm) lapel, lavalier and headset type microphones. It is made from the same High Density Military Grade S80 SonicFoam™ as is used in our Military-Spec models. It also includes a proprietary water repellent / wicking treatment that meets Military requirement standards. Perfect for live broadcast news, outdoor events and general use, as there is virtually no affect to the microphone's frequency response. The 10378 windscreen offers from 5 to 15db of wind noise protection depending the microphone being used. **Made in America!**

**10378 Military High Density Windscreen Fit the Following Microphones:** **AKG** C407, C417, C577, CK55, CK77-3, CK970, CK99L. **Audio Technica** AT803B, 830R, 831, 837, 855, 859, AT898, AT899, ATM15, 73A. ES915, ES933, ES943, MT350, PRO7a, PRO70. **Audix** ADX-5, ADX10, ADX40. TR-40. **Auray** OLM2. **Beyer** MC5, MC6, MCE5,

MCE10, MCE60. **Countryman** EMW. **Crown** GLM100, GLM200. **DPA** 4060, 4061, 4062, 4063, 4071, 4088, 88, Omni. **Earthworks** QTC, TC, M. **Electro Voice** HM-1, OLM-10, RE90L. **Gentex** 5070. **Lectrosonics** HM142, HM152, HM162, M119, M140. **Lightspeed** TX-170. **MicW** E418, E436, i436, M416. **Pearstone** OLM2. **Ramsa** WX-RP410. **Samson** QV. **Senal** OLM2. **Sennheiser** ECM770, HSP4, ME2, MKE-2, MKE102-60, ME102, ME104, ME105. **Shure** Beta 53 headset, MC51B, MC50B, WCM-16, WL20, WL50, WL51, WLM10, SM93, 99. **Sony** ECM-V1, ECM-30, ECM-44, ECM-77, ECM-322, UWP-V. **Special Projects** SP5254, SP2000, SP5200, SP5251, SP5252, SP5255, WPHS-746, WPHS-756. **Telex** EMM-22/33, PH21, 22, 23, WLM30. **Tram** TR-50. **Voice Technologies** VT506. And most headset, lapel or lavalier type microphones from 5mm to 10mm in diameter.

**10378 Military Specifications:**

Inside Diameter: 0.187" (4.75 mm)

Inside Depth: 0.750" (19 mm)

Overall Height: 1.100" (28 mm)

Overall Diameter: 0.750" (19 mm)

Shape: Cylindrical

Colors Available: Black

Made in America

\* Includes Carnauba water wicking treatment

**WindTech® 10379 Military High Density Microphone Windscreen**

**10379 Military High Density Windscreen Fit the Following Microphones:** **AKG** C407, C417, CK970, CK99L. **Audio Technica** AT803B, 830R, 831, 837, 855, 859. ATM15, 73A. ES915, ES933, ES943. PRO7a. **Audix** ADX10, ADX40. TR-40. **Beyer** MC5, MC6, MCE10. **Countryman** EMW. **Crown** GLM100, GLM200. **Earthworks** QTC, TC, M. **Electro Voice** HM-1. **Gentex** 5070. **Lectrosonics** HM142, HM152, HM162, M119, M140. **Lightspeed** TX-170. **MicW** E418, E436, i436, M416. **Samson** QV. **Sennheiser** HSP4. **Shure** SM93, 99, WCM-16. **Sony** ECM-30. **Special Projects** SP2000, SP5200, SP5251, SP5252, SP5255, WPHS-746, WPHS-756. **Telex** PH21, 22, 23. **Tram** TR-50. And most lapel or lavalier type microphones with up to .375" (9.5mm) in diameter.

**10379 Military Specifications:**

Inside Diameter: 0.255" (6 mm)

Inside Depth: 0.750" (19 mm)

Overall Height: 1.100" (28 mm)

Overall Diameter: 0.750" (19 mm)

Shape: Cylindrical

Colors Available: Black

Made in America

\* Includes Carnauba water wicking treatment

**WindTech® 10380 Military High Density Microphone Windscreen**

**10380 Military High Density Windscreen Fit the Following Microphones:** **AKG** CK97C, C567. **Audio Technica** AT853, 803B, 855, 857, 859, ATM35, ATM350, Pro35, U853, U857. **Audix** M1245, M1290, ADX-20, ADX112, ADX118. **Beyer** MC5, MC6, MCE10, 52. SHM22, SHM88. **Electro Voice** RE98, CO90, CO90P, CO94, CO100, CP212, 218, CS200, CH230. RE90H, RE92. **MicW** CN201, E216, M215, N201, N241. **Samson** VLP-1, QE. **Sennheiser** ME34, ME35, MKE40-60. **Shure** EZG, EZO, MX183, MX184, MX185, MX412. SM83a, SM84a, 839w, SM98, SM99. **Sony** AH-1, ECM-X7, ECM-44, 55, 66, 166. **Special Projects** SP4700, SP746, SP756, SPH20. And most slim-line podium or lavalier style microphones with up to .4375" (12mm) in diameter.

**10380 Military Specifications:**

Inside Diameter: 0.375" (10 mm)

Inside Depth: 1.250" (32 mm)

Overall Height: 1.500" (38 mm)

Overall Diameter: 0.875" (22 mm)

Shape: Cylindrical

Colors Available: Black

Made in America

\* Includes Carnauba water wicking treatment

**NOTES:** The recommendations given are estimates based on the manufacturers published specifications. This list is intended as a guide only. The user should try the windscreen for proper fit and use. Shape, size and color may vary slightly from different production lots.

WindTech® is a division of the  
Olsen Audio Group, Inc.  
7845 East Evans Road  
Scottsdale, AZ 85260 U.S.A.  
480-998-7140  
<http://www.windtech.tv>

Content copyright 2015. Olsen Audio Group, Inc. All rights reserved.  
WindTech® is a Registered Trademark of the Olsen Audio Group, Inc.